

**1. IDENTIFICATION**

**PRODUCT IDENTIFIER**

**TRADE NAME:** Power Charges, Division 1.4  
**ARTICLE NUMBERS:** BPC-0800-005, BPC-1300-010, BPC-1500-020, BPC-0800-005S, BPC-1300-010S, BPC-1500-020S, HDO-1500-100, HDO-1687-100, HDO-2500-200, HDO-2687-100, HDO-3500-100, HDO-3625-100, and all (SSP) PREFIX CHARGES.  
**MANUFACTURER:** Diamondback Industries, Inc.  
 3824 Williamson Road  
 Crowley, TX 76036 USA  
**EMERGENCY TELEPHONE NUMBER:** **1-800-424-9300 (24-HOURS – CHEMTREC) CCN621421**  
**+1 703-741-5970 (INTERNATIONAL)**

**2. HAZARD IDENTIFICATION**

**HAZARD CLASSIFICATION:** Explosive, Division 1.4  
**SIGNAL WORD:** **Warning**  
**HAZARD STATEMENT:** Flammable solid, may ignite under adverse conditions. Oxidizer. May ignite combustibles. May cause eye, skin, and respiratory irritation. May affect the blood’s ability to carry oxygen. May cause allergic skin reaction. May be harmful if swallowed.

**PICTOGRAMS:**



**PRECAUTIONARY STATEMENTS:** Keep away from friction, heat, sparks, open flames, hot surfaces, and impact. In case of major fire and large quantities: isolate area and evacuate personnel to a safe area, guard against intruders, and fight fire remotely. Store away from combustibles in accordance with all applicable local, regional, national, and international regulations.

**OTHER HAZARDS:**

**PREVENTION OF ACCIDENTS IN THE USE OF EXPLOSIVES**

THE PREVENTION OF ACCIDENTS IN THE USE OF EXPLOSIVES IS A RESULT OF CAREFUL PLANNING AND OBSERVANCE OF THE BEST KNOWN PRACTICES. THE EXPLOSIVES USER MUST REMEMBER THAT HE IS DEALING WITH A POWERFUL FORCE AND THAT VARIOUS DEVICES AND METHODS HAVE BEEN DEVELOPED TO ASSIST HIM IN DIRECTING THIS FORCE. HE SHOULD REALIZE THAT THIS FORCE, IF MISDIRECTED, MAY EITHER KILL OR INJURE BOTH HIM AND HIS FELLOW WORKERS.

**WARNING**

ALL EXPLOSIVES ARE DANGEROUS AND MUST BE CAREFULLY HANDLED AND USED FOLLOWING APPROVED SAFETY PROCEDURES EITHER BY OR UNDER THE DIRECTION OF COMPETENT, EXPERIENCED PERSONS IN ACCORDANCE WITH ALL APPLICABLE FEDERAL, STATE, AND LOCAL LAWS, REGULATIONS, OR ORDINANCES. IF YOU HAVE ANY QUESTIONS OR DOUBTS AS HOW TO USE ANY EXPLOSIVE PRODUCT, DO NOT USE IT BEFORE CONSULTING WITH YOUR SUPERVISOR, OR THE MANUFACTURER, IF YOU DO NOT HAVE A SUPERVISOR. IF YOUR SUPERVISOR HAS ANY QUESTIONS OR DOUBTS, HE SHOULD CONSULT WITH THE MANUFACTURER BEFORE USING THE EXPLOSIVE RELATED PRODUCT.

### 3. COMPOSITION / INGREDIENTS

#### MIXTURE OF SUBSTANCES LISTED BELOW WITH NONHAZARDOUS ADDITIONS:

Material/Component	CAS No.	EINECS No.	TLV	PEL
Sodium Nitrate	07631-99-4	231-554-3	NE	NE

NE= Not Established

### 4. FIRST AID MEASURES

<b>INHALATION:</b>	Not a likely route of exposure. If inhaled, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, administer oxygen. Seek prompt medical attention.
<b>EYE AND SKIN CONTACT:</b>	Not a likely route of exposure.
<b>INGESTION:</b>	Not a likely route of exposure.
<b>INJURY FROM FIRE:</b>	Seek prompt medical attention.

### 5. FIREFIGHTING MEASURES

**EXTINGUISHING MEDIA:** Flood area with water. If no water is available, carbon dioxide, dry chemical or earth may be used. In the event that fire reaches cargo, withdraw and let the fire burn. There are no known unsuitable extinguishing agents for this product. In the event of a major fire involving large quantities, evacuate the area for 1,500 feet, fight fire remotely and eliminate all ignition sources if safe to do so. Firefighters should wear full protective suit with self-contained respiratory protective device.

### 6. ACCIDENTAL RELEASE MEASURES

#### PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT AND EMERGENCY PROCEDURES:

- Use respiratory protective device if fumes or dust are present.
- Keep away from all ignition sources.
- Ensure adequate ventilation, protect from heat.
- Isolate area and prevent access.
- Wear protective equipment and keep unprotected persons away.

#### ENVIRONMENT PRECAUTIONS AND METHODS FOR CLEANING UP:

- Do not allow to enter sewers, surface or ground water.
- Inform authorities in case of seepage into water course or sewer system.
- Pick up mechanically.
- Send for recovery or disposal in suitable containers
- Dispose contaminated material in compliance with federal regulations.

### 7. HANDLING AND STORAGE

#### PRECAUTIONS FOR SAFE HANDLING:

- Keep away from heat and direct sunlight.
- Handle with care. Avoid jolting, friction and impact.
- Protect product from excessive heat.
- Keep all ignition sources away – do not smoke within 50 feet.

#### CONDITIONS FOR SAFE STORAGE:

- Store in a cool dry location.
- Avoid storage near extreme heat, ignition sources or open flame.
- Store away from other oxidizing agents.
- Store away from foodstuffs.

Protect product from heat and direct sunlight.  
Store in accordance with atf explosives laws and regulations (subpart k).

## 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

### CONTROL PARAMETERS:

None of the components or ingredients of power charges are listed as a carcinogen by NTP, IARC OR OSHA.

### EXPOSURE CONTROLS:

Do not inhale dust, smoke or fumes from burning.  
Keep away from foodstuffs, beverages and feed.

### PERSONAL PROTECTION:

Wash hands thoroughly before breaks and at the end of work.  
Avoid contact with the eyes.  
Wear dust mask, safety glasses, and protective gloves for manufacturing.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

### INFORMATION ON BASIC PHYSICAL AND CHEMICAL PROPERTIES:

**APPEARANCE:** Fiberboard tube containing white/yellow solid material.  
**ODOR:** None.  
**MELT POINT:** Not determined.  
**FLASH POINT:** Not applicable.  
**AUTO IGNITION:** >500 degrees F for over 1-hour.  
**DECOMPOSITION:** >450 degrees F decomposition process starts.  
**SELF IGNITING:** Product is not self-igniting.  
**IGNITION WARNING:** Risk of ignition by shock, friction, impact, fire, or other sources of heat.

## 10. STABILITY AND REACTIVITY

### STABILITY:

No decomposition if used and stored according to specifications.

### POSSIBILITY OF HAZARDOUS REACTIONS:

Product can react violently with oxygen rich (oxidizing) material.  
Exothermic reaction with certain types of acids.  
Danger of explosion if product is heavily confined.

### CONDITIONS TO AVOID:

Keep all ignition sources away. Do not smoke within 50 feet.  
Store away from oxidizing agents.  
Keep away from heat sources and out of direct sunlight.

### HAZARDOUS DECOMPOSITION PRODUCTS:

Carbon monoxide and carbon dioxide.  
Nitrogen oxides.  
Irritant gases / vapors.

## 11. TOXICOLOGICAL INFORMATION

### PRIMARY IRRITANT EFFECT:

On the skin: No irritant effect.  
On the eyes: Slight irritant effect on eyes.  
Sensitization: No sensitizing effect known.

**ADDITIONAL TOXICOLOGICAL INFORMATION:**

When used and handled according to specifications, the product does not have any harmful effects to our experience and the information provided to us.

Normal handling of the undeployed product poses little or no health hazards. This product is a solid material which contains the various components within a fiberboard shell. Therefore, under normal handling of this product, no exposure to any harmful materials will occur.

When product is used under normal conditions, gases may be generated which may be irritating to the eyes and respiratory tract.

**12. ECOLOGICAL INFORMATION**

**TOXICITY:**

Aquatic toxicity:	None
Degradability:	No relevant information available
Bioaccumulative:	No relevant information available
Soil mobility:	No relevant information available

**13. DISPOSAL CONSIDERATIONS**

**WASTE TREATMENT METHODS:**

Must not be disposed together with household garbage. Do not allow product to reach sewage system. Must be specially treated adhering to official regulations.

The user of this material has the responsibility to dispose of unused material, residues and containers in compliance with all relevant local, state and federal laws and regulations.

**14. TRANSPORT INFORMATION**

**UN NUMBERS:**

BAKER STYLE CHARGES:	UN0276	BPC PREFIX
GO STYLE CHARGES:	UN0278	HDO PREFIX
ELIMINATOR CHARGES:	UN0278	SSP PREFIX

**PROPER SHIPPING NAME:**

BAKER STYLE CHARGES:	CARTRIDGES, POWER DEVICE
GO STYLE CHARGES:	CARTRIDGES, OIL WELL
ELIMINATOR CHARGES:	CARTRIDGES, OIL WELL

**CLASS AND LABELING:**

EXPLOSIVE 1.4C  
CARGO AIRCRAFT ONLY



**PHMSA EXPLOSIVES EX-NUMBERS:**

BAKER STYLE CHARGES:	EX2006010093A/EX2006010093/EX2006050014
GO STYLE CHARGES:	EX2006110356
ELIMINATOR CHARGES:	EX2006080065

**15. REGULATORY INFORMATION**

**SAFETY, HEALTH AND ENVIRONMENT REGULATIONS:**

This product has been classified in accordance with hazard criteria of the controlled products regulations and the SDS contains all of the information required by the controlled products regulations.

**CHEMICAL SAFETY ASSESSMENT:**

A chemical safety assessment has not been carried out.

## 16. OTHER INFORMATION

THE INFORMATION CONTAINED IN THIS MATERIAL SAFETY DATA SHEET IS BASED UPON AVAILABLE DATA AND BELIEVED TO BE CORRECT, HOWEVER, AS SUCH HAS BEEN OBTAINED FROM VARIOUS SOURCES, INCLUDING THE MANUFACTURER AND INDEPENDENT LABORATORIES, IT IS GIVEN WITHOUT WARRANTY OR REPRESENTATION THAT IT IS COMPLETE, ACCURATE, AND CAN BE RELIED UPON. DIAMONDBACK INDUSTRIES, INC. HAS NOT ATTEMPTED TO CONCEAL IN ANY MANNER THE DELETERIOUS ASPECTS OF THE PRODUCT LISTED HEREIN, BUT MAKES NO WARRANTY AS TO SUCH. FURTHER, DIAMONDBACK INDUSTRIES, INC. CANNOT ANTICIPATE NOR CONTROL THE MANY SITUATIONS IN WHICH THE PRODUCT OR THIS INFORMATION MAY BE USED. THERE IS NO GUARANTEE THAT THE HEALTH AND SAFETY PRECAUTIONS SUGGESTED WILL BE PROPER UNDER ALL CONDITIONS. IT IS THE SOLE RESPONSIBILITY OF EACH USER OF THE PRODUCT TO DETERMINE AND COMPLY WITH THE REQUIREMENTS OF ALL APPLICABLE LAWS AND REGULATIONS REGARDING ITS USE. THIS INFORMATION IS GIVEN SOLELY FOR THE PURPOSES OF SAFETY TO PERSONS AND PROPERTY. ANY OTHER USE OF THIS INFORMATION IS EXPRESSLY PROHIBITED.

FOR FURTHER INFORMATION CONTACT:      Robert C. Andres  
Vice President  
Diamondback Industries, Inc.  
3824 Williamson Road  
P.O. Box 281  
Crowley, Texas 76036 USA  
Telephone: 817-297-1059  
Fax: 817-297-1171

MSDS PREPARED BY:                             Robert C. Andres  
Revision Date: 21-JAN-20